

QUICK FINISH

Revision date: 17.01.2024

Page 1 of 15

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

QUICK FINISH

1.2. Relevant identified uses of the substance or mixture and uses advised against**Use of the substance/mixture**

Professional use.

Nail polish and gels

Uses advised against

Any non-intended use.

1.3. Details of the supplier of the safety data sheet

Company name: Beauty Space Nails SRL
Street: Vico G. Pulvirenti, 9
Place: 95047 Paternò CT
Telephone: +390958738227
E-mail: info@beautyspacenails.com
Internet: www.beautyspacenails.com

1.4. Emergency telephone number:**Further Information**

This product is subject to the regulation (EC) No 1223/2009. This sheet was prepared on a voluntary basis.

INCI: see information leaflet

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****Regulation (EC) No 1272/2008**

Skin Irrit. 2; H315

Eye Irrit. 2; H319

Skin Sens. 1; H317

Aquatic Chronic 2; H411

Full text of hazard statements: see SECTION 16.

2.2. Label elements**Regulation (EC) No 1272/2008****Hazard components for labelling**


pentaerythritol tetrakis(3-mercaptopropionate)

2-hydroxypropyl methacrylate

1,2-ethanediyl diacrylate

Signal word: Warning

Pictograms:

**Hazard statements**

H315

Causes skin irritation.

H317

May cause an allergic skin reaction.

H319

Causes serious eye irritation.

H411

Toxic to aquatic life with long lasting effects.

QUICK FINISH

Revision date: 17.01.2024

Page 2 of 15

Precautionary statements

- P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
 P264 Wash hands thoroughly after handling.
 P302+P352 IF ON SKIN: Wash with plenty of Water and soap.
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P501 Dispose of contents/container to local/regional/national/international regulations.

Additional advice on labelling

Labelling according to Regulation (EC) No. 1223/2009.

2.3. Other hazards

The substances in the mixture (> 0.1%) do not meet the PBT/vPvB criteria according to REACH, annex XIII. This product does not contain a substance (> 0,1%) that has endocrine disrupting properties with respect to humans as no components meets the criteria. This product does not contain a substance (> 0,1 %) that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
	acrylate resin			
	Skin Irrit. 2, Eye Irrit. 2; H315 H319			
1393932-71-2	Reaction products of acrylic acid with 2,2'-[oxybis(methylene)]bis[2-ethylpropane-1,3-diol]			
	830-217-3		01-2119977121-41	
	Eye Irrit. 2, Aquatic Chronic 2; H319 H411			
7575-23-7	pentaerythritol tetrakis(3-mercaptopropionate)			
	231-472-8			
	Acute Tox. 4, Skin Sens. 1, Aquatic Acute 1, Aquatic Chronic 1; H302 H317 H400 H410			
923-26-2	2-hydroxypropyl methacrylate			
	213-090-3	607-125-00-5		
	Eye Irrit. 2, Skin Sens. 1; H319 H317			
12738-64-6	alpha-d-Glucopyranoside, beta-d-fructofuranosyl, benzoate			
	235-795-5		01-2120761038-55	
	STOT RE 2; H373			
2274-11-5	1,2-ethanediyl diacrylate			
	218-886-4			
	Acute Tox. 3, Acute Tox. 3, Skin Irrit. 2, Eye Dam. 1, Skin Sens. 1; H311 H301 H315 H318 H317			
108-88-3	toluene			
	203-625-9	601-021-00-3		
	Flam. Liq. 2, Repr. 2, Skin Irrit. 2, STOT SE 3, STOT RE 2, Asp. Tox. 1; H225 H361d H315 H336 H373 H304			

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. Limits, M-factors and ATE		

QUICK FINISH

Revision date: 17.01.2024

Page 3 of 15

1393932-71-2	830-217-3	Reaction products of acrylic acid with 2,2'-(oxybis(methylene))bis[2-ethylpropane-1,3-diol]	15 - < 20 %
	oral: LD50 = > 5000 mg/kg		
7575-23-7	231-472-8	pentaerythritol tetrakis(3-mercaptopropionate)	12 - < 15 %
	inhalation: LC50 = [>3,363] mg/l (dusts or mists); oral: LD50 = > 1000 - < 2000 mg/kg Acute 1; H400: M=1 Aquatic Chronic 1; H410: M=1	Aquatic	
12738-64-6	235-795-5	alpha-d-Glucopyranoside, β-d-fructofuranosyl, benzoate	7 - < 10 %
	dermal: LD50 = > 2000 mg/kg; oral: LD50 = > 2000 mg/kg		
2274-11-5	218-886-4	1,2-ethanediyl diacrylate	0.3 - < 0.5 %
	dermal: ATE = 300 mg/kg; oral: ATE = 100 mg/kg		
108-88-3	203-625-9	toluene	< 0.1 %
	inhalation: LC50 = 28,1 mg/l (vapours); dermal: LD50 = >5000 mg/kg; oral: LD50 = >5000 mg/kg		

Further Information

Product does not contain listed SVHC substances > 0.1 % according to Regulation (EC) No. 1907/2006 Article 59 (REACH)

SECTION 4: First aid measures**4.1. Description of first aid measures****General information**

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

After inhalation

In case of accident by inhalation: remove casualty to fresh air and keep at rest. In all cases of doubt, or when symptoms persist, seek medical advice.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing. In case of skin irritation, seek medical treatment.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. Remove contact lenses, if present and easy to do. Continue rinsing. In case of troubles or persistent symptoms, consult an ophthalmologist.

After ingestion

Rinse mouth thoroughly with water. Let water be drunken in little sips (dilution effect). Do NOT induce vomiting. In all cases of doubt, or when symptoms persist, seek medical advice.

4.2. Most important symptoms and effects, both acute and delayed

See sections 2 and 11

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures**5.1. Extinguishing media****Suitable extinguishing media**

Sand. Foam. Carbon dioxide (CO₂). Extinguishing powder. In case of major fire and large quantities: Water spray jet. Water mist.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

Can be released in case of fire: Carbon monoxide (CO). Carbon dioxide (CO₂).

5.3. Advice for firefighters

QUICK FINISH

Revision date: 17.01.2024

Page 4 of 15

In case of fire and/or explosion do not breathe fumes. In case of fire: Wear self-contained breathing apparatus.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.
Co-ordinate fire-fighting measures to the fire surroundings.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

See protective measures under point 7 and 8.

For non-emergency personnel

Wear personal protection equipment (refer to section 8).

For emergency responders

No special measures are necessary.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Eliminate leaks immediately. Prevent spread over a wide area (e.g. by containment or oil barriers). Do not allow to enter into soil/subsoil. If required, notify relevant authorities according to all applicable regulations.

6.3. Methods and material for containment and cleaning up

For containment

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

Treat the recovered material as prescribed in the section on waste disposal.

For cleaning up

Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Wear suitable protective clothing. (See section 8.)

Advice on protection against fire and explosion

Usual measures for fire prevention.

Advice on general occupational hygiene

When using do not eat, drink or smoke.

Further information on handling

General protection and hygiene measures: See section 8.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place. Only use containers specifically approved for the substance/product.

Make sure spills can be contained (e.g. sump pallets or kerbed areas).

Hints on joint storage

Do not store together with: Explosives. Oxidizing solids. Oxidizing liquids. Radioactive substances. Infectious substances. Food and animal feedingstuff.

Further information on storage conditions

Keep the packing dry and well sealed to prevent contamination and absorption of humidity.

Recommended storage temperature: 20 °C

QUICK FINISH

Revision date: 17.01.2024

Page 5 of 15

Protect against: frost. UV-radiation/sunlight. heat. Humidity

7.3. Specific end use(s)

See section 1.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

CAS No	Substance	ppm	mg/m³	fib/cm³	Category	Origin
108-88-3	Toluene	50 100	192 384		TWA (8 h) STEL (15 min)	

Biological limit values

CAS No	Substance	Parameter	Value	Test material	Sampling time
108-88-3	Toluene	Toluene	0.03 mg/L	Urine	End of shift

DNEL/DMEL values

CAS No	Substance	DNEL type	Exposure route	Effect	Value
12738-64-6	alpha-d-Glucopyranoside, β-d-fructofuranosyl, benzoate				
	Worker DNEL, long-term		inhalation	systemic	1,7 mg/m³
	Worker DNEL, long-term		inhalation	local	0,1 mg/m³
	Worker DNEL, long-term		dermal	systemic	5 mg/kg bw/day
	Consumer DNEL, long-term		inhalation	systemic	0,4 mg/m³
	Consumer DNEL, long-term		inhalation	local	0,013 mg/m³
	Consumer DNEL, long-term		dermal	systemic	2,5 mg/kg bw/day
	Consumer DNEL, long-term		oral	systemic	2,5 mg/kg bw/day

PNEC values

CAS No	Substance	Environmental compartment	Value
1393932-71-2	Reaction products of acrylic acid with 2,2'-[oxybis(methylene)]bis[2-ethylpropane-1,3-diol]		
	Freshwater		0,001 mg/l
	Freshwater (intermittent releases)		0,012 mg/l
	Marine water		0 mg/l
	Freshwater sediment		0,48 mg/kg
	Marine sediment		0,048 mg/kg
	Micro-organisms in sewage treatment plants (STP)		100 mg/l
	Soil		0,096 mg/kg
12738-64-6	alpha-d-Glucopyranoside, β-d-fructofuranosyl, benzoate		
	Freshwater		1,17 mg/l
	Freshwater (intermittent releases)		1,17 mg/l
	Marine water		0,117 mg/l
	Marine water (intermittent releases)		0,117 mg/l

QUICK FINISH

Revision date: 17.01.2024

Page 6 of 15

Freshwater sediment	9,32 mg/kg
Marine sediment	0,932 mg/kg
Micro-organisms in sewage treatment plants (STP)	10 mg/l
Soil	0,93 mg/kg

8.2. Exposure controls**Appropriate engineering controls**

Technical measures and the application of suitable work processes have priority over personal protection equipment.

Provide adequate ventilation.

Individual protection measures, such as personal protective equipment**Eye/face protection**

Wear safety glasses; chemical goggles (if splashing is possible). EN 166

Hand protection

In case of prolonged or frequently repeated skin contact:

Wear suitable gloves.

Suitable material:

FKM (fluororubber). - Thickness of glove material: 0,4 mm

Breakthrough time >= 8 h

Butyl rubber. - Thickness of glove material: 0,5 mm

Breakthrough time >= 8 h

CR (polychloroprenes, Chloroprene rubber). - Thickness of glove material: 0,5 mm

Breakthrough time >= 8 h

NBR (Nitrile rubber). - Thickness of glove material: 0,35 mm

Breakthrough time >= 8 h

PVC (Polyvinyl chloride). - Thickness of glove material: 0,5 mm

Breakthrough time >= 8 h

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

The selected protective gloves have to satisfy the specifications of EU Directive EC/2016/425 and the standard EN 374 derived from it.

Before using check leak tightness / impermeability. In the case of wanting to use the gloves again, clean them before taking off and air them well.

Skin protection

Suitable protective clothing: Lab apron.

Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required.

Respiratory protection necessary at:

-Exceeding exposure limit values

-Insufficient ventilation and aerosol or mist formation

Suitable respiratory protective equipment: particulates filter device (DIN EN 143). type: P1-3

Half-face mask or quarter facepiece: maximum use concentration for substances with exposure limits: P1 filter: up to a max. of 4 times the exposure limit. P2 filter: up to a max. of 10 times the exposure limit. P3 filter: up to a max. of 30 times the expo.

The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used.

QUICK FINISH

Revision date: 17.01.2024

Page 7 of 15

Environmental exposure controls

Do not allow uncontrolled discharge of product into the environment.

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Physical state:	liquid
Colour:	coloured
Odour:	characteristic
Odour threshold:	not determined
Melting point/freezing point:	not determined
Boiling point or initial boiling point and boiling range:	not determined
Flammability:	not determined
Lower explosion limits:	not determined
Upper explosion limits:	not determined
Flash point:	not determined
Auto-ignition temperature:	not determined
Decomposition temperature:	not relevant
pH-Value:	not determined
Viscosity / kinematic:	not determined
Water solubility:	not determined
Solubility in other solvents	not determined
Dissolution rate:	not relevant
Partition coefficient n-octanol/water:	not relevant
Dispersion stability:	not relevant
Vapour pressure:	not determined
Density:	1,1 g/cm ³
Bulk density:	not relevant
Relative vapour density:	not determined
Particle characteristics:	not relevant

9.2. Other information**Information with regard to physical hazard classes**

Explosive properties	
none	
Sustaining combustion:	No data available
Self-ignition temperature	
Solid:	not determined
Gas:	not determined
Oxidizing properties	
none	

Other safety characteristics

Evaporation rate:	not determined
Solvent separation test:	not determined
Solvent content:	not determined
Solid content:	not determined
Sublimation point:	not relevant
Softening point:	not relevant
Pour point:	not relevant
Viscosity / dynamic:	not determined
Flow time:	not determined

QUICK FINISH

Revision date: 17.01.2024

Page 8 of 15

Further Information

No information available.

SECTION 10: Stability and reactivity**10.1. Reactivity**

No information available.

10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

Refer to chapter 10.5.

10.4. Conditions to avoid

Protect against: UV-radiation/sunlight. heat.

10.5. Incompatible materials

Materials to avoid: Oxidizing agents, strong. Reducing agents, strong.

10.6. Hazardous decomposition products

Does not decompose when used for intended uses.

SECTION 11: Toxicological information**11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008****Toxicokinetics, metabolism and distribution**

No information available.

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) 6226 mg/kg; ATE (dermal) 74221 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
1393932-71-2	Reaction products of acrylic acid with 2,2'-[oxybis(methylene)]bis[2-ethyl]propane-1,3-diol]				
	oral	LD50 mg/kg	> 5000	Rat	REACH Dossier
7575-23-7	pentaerythritol tetrakis(3-mercaptopropionate)				
	oral	LD50 < 2000 mg/kg	> 1000 -	Rat	REACH Dossier
	inhalation (4 h) dust/mist	LC50 mg/l	[>3,363]	Rat	REACH Dossier
12738-64-6	alpha-d-Glucopyranoside, beta-d-fructofuranosyl, benzoate				
	oral	LD50 mg/kg	> 2000	Rat	REACH Dossier
	dermal	LD50 mg/kg	> 2000	Rabbit	REACH Dossier
2274-11-5	1,2-ethanediyl diacrylate				
	oral	ATE mg/kg	100		
	dermal	ATE mg/kg	300		

QUICK FINISH

Revision date: 17.01.2024

Page 9 of 15

108-88-3	toluene					
	oral	LD50 mg/kg	>5000	Rat	ECHA Dossier	
	dermal	LD50 mg/kg	>5000	Rabbit	ECHA Dossier	
	inhalation (4 h) vapour	LC50	28,1 mg/l	Rat	ECHA Dossier	

Irritation and corrosivity

Causes skin irritation.

Causes serious eye irritation.

Sensitising effects

May cause an allergic skin reaction. (pentaerythritol tetrakis(3-mercaptopropionate); 2-hydroxypropyl methacrylate; 1,2-ethanediyl diacrylate)

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Endocrine disrupting properties

This product does not contain a substance (> 0,1%) that has endocrine disrupting properties with respect to humans as no components meets the criteria.

Other information

No data available.

SECTION 12: Ecological information

12.1. Toxicity

Toxic to aquatic life with long lasting effects.

The product has not been tested.

CAS No	Chemical name	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
1393932-71-2	Reaction products of acrylic acid with 2,2'-(oxybis(methylene))bis[2-ethylpropane-1,3-diol]						
	Acute fish toxicity	LC50	1,2 mg/l	96 h	Cyprinus carpio	REACH Dossier	OECD Guideline 203
	Acute algae toxicity	ErC50	1,3 mg/l	72 h	Pseudokirchneriella subcapitata	REACH Dossier	OECD Guideline 201
	Acute crustacea toxicity	EC50 mg/l	> 10	48 h	Daphnia magna	REACH Dossier	OECD Guideline 202
	Acute bacteria toxicity	EC50 mg/l ()	> 1000	3 h	activated sludge of a predominantly domestic sewage	REACH Dossier	OECD Guideline 209
7575-23-7	pentaerythritol tetrakis(3-mercaptopropionate)						
	Acute fish toxicity	LC50 mg/l	0,42	96 h	Oncorhynchus mykiss	REACH Dossier	OECD Guideline 203
	Acute algae toxicity	ErC50 mg/l	0,65	72 h	Desmodesmus subspicatus	REACH Dossier	OECD Guideline 201

QUICK FINISH

Revision date: 17.01.2024

Page 10 of 15

	Acute crustacea toxicity	EC50 mg/l	> 0,85	48 h	Daphnia magna	REACH Dossier	OECD Guideline 202
12738-64-6	alpha-d-Glucopyranoside, β-d-fructofuranosyl, benzoate						
	Acute fish toxicity	LC50 mg/l	> 100	96 h		REACH Dossier	
108-88-3	toluene						
	Acute fish toxicity	LC50 mg/l	(5,5)	96 h	Oncorhynchus kisutch	ECHA Dossier	
	Acute crustacea toxicity	EC50 mg/l	(3,78)	48 h	Ceriodaphnia dubia	ECHA Dossier	
	Acute bacteria toxicity	EC50 ()	134 mg/l	3 h	Chlorella vulgaris and Chlamydomonas angulosa	ECHA Dossier	

12.2. Persistence and degradability

The product has not been tested.

CAS No	Chemical name	Method	Value	d	Source
		Evaluation			
1393932-71-2	Reaction products of acrylic acid with 2,2'-[oxybis(methylene)]bis[2-ethylpropane-1,3-diol]	OECD Guideline 301 B	4%	29	REACH Dossier
		Easily biodegradable (concerning to the criteria of the OECD)			
7575-23-7	pentaerythritol tetrakis(3-mercaptopropionate)	OECD Guideline 301 B	26%	28	REACH Dossier
		Not readily biodegradable (according to OECD criteria)			

12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
1393932-71-2	Reaction products of acrylic acid with 2,2'-[oxybis(methylene)]bis[2-ethylpropane-1,3-diol]	4,14
7575-23-7	pentaerythritol tetrakis(3-mercaptopropionate)	ca. 3,03
108-88-3	toluene	2,73

BCF

CAS No	Chemical name	BCF	Species	Source
7575-23-7	pentaerythritol tetrakis(3-mercaptopropionate)	23,7	calculation	Estimation Programs

12.4. Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

The aforementioned statement applies to substances contained in the product with a minimum content of 0.1%.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

The aforementioned statement applies to substances contained in the product with a minimum content of 0.1%.

12.7. Other adverse effects

No information available.

QUICK FINISH

Revision date: 17.01.2024

Page 11 of 15

Further information

Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations**13.1. Waste treatment methods****Disposal recommendations**

Dispose of waste according to applicable legislation. Consult the local waste disposal expert about waste disposal. Non-contaminated packages may be recycled. The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Control report for waste code/ waste marking according to (EWC) European Waste Catalogue:

List of Wastes Code - residues/unused products

080409 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products); waste adhesives and sealants containing organic solvents or other hazardous substances; hazardous waste

List of Wastes Code - used product

080409 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products); waste adhesives and sealants containing organic solvents or other hazardous substances; hazardous waste

List of Wastes Code - contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances; hazardous waste

Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information**Land transport (ADR/RID)****14.1. UN number or ID number:**

UN 3082

14.2. UN proper shipping name:ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(pentaerythritol tetrakis(3-mercaptopropionate))**14.3. Transport hazard class(es):**

9

14.4. Packing group:

III

Hazard label:



Classification code:

M6

Special Provisions:

274 335 375 601

Limited quantity:

5 L

Excepted quantity:

E1

Transport category:

3

Hazard No:

90

Tunnel restriction code:

-

Inland waterways transport (ADN)**14.1. UN number or ID number:**

UN 3082

QUICK FINISH

Revision date: 17.01.2024

Page 12 of 15

14.2. UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(pentaerythritol tetrakis(3-mercaptopropionate))

9

III

9



M6

274 335 375 601

5 L

E1

Marine transport (IMDG)**14.1. UN number or ID number:** UN 3082**14.2. UN proper shipping name:** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(pentaerythritol tetrakis(3-mercaptopropionate))

9

III

9



YES

274, 335, 969

5 L

E1

F-A, S-F

Air transport (ICAO-TI/IATA-DGR)**14.1. UN number or ID number:** UN 3082**14.2. UN proper shipping name:** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(pentaerythritol tetrakis(3-mercaptopropionate))

9

III

9



A97 A158 A197 A215

30 kg G

Y964

E1

964

450 L

964

450 L

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: Yes



Danger releasing substance:

pentaerythritol tetrakis(3-mercaptopropionate)

QUICK FINISH

Revision date: 17.01.2024

Page 13 of 15

14.6. Special precautions for user

refer to chapter 6 - 8

14.7. Maritime transport in bulk according to IMO instruments

not relevant

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

Directive 2010/75/EU on industrial emissions:

not determined

Directive 2004/42/EC on VOC in paints and varnishes:

not determined

Information according to Directive 2012/18/EU (SEVESO III):

E2 Hazardous to the Aquatic Environment

Additional information

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (amended by Regulation (EU) No 2020/878)

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

REACH 1907/2006 Appendix XVII, No (mixture): 3

National regulatory information

Water hazard class (D): 3 - highly hazardous to water

15.2. Chemical safety assessment

For the following substances of this mixture a chemical safety assessment has been carried out:

Reaction products of acrylic acid with 2,2'-[oxybis(methylene)]bis[2-ethylpropane-1,3-diol]

SECTION 16: Other information**Changes**

Rev. 1,0; Initial release: 17.01.2024

QUICK FINISH

Revision date: 17.01.2024

Page 14 of 15

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

CAS: Chemical Abstracts Service

CLP: Classification, Labelling and Packaging of substances and mixtures

DNEL: Derived No Effect Level

d: day(s)

EINECS: European INventory of Existing Commercial chemical Substances

ELINCS: European List of Notified Chemical Substances

ECHA: European Chemicals Agency

EWC: European Waste Catalogue

IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany)

h: hour

LOAEL: Lowest observed adverse effect level

LOAEC: Lowest observed adverse effect concentration

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

NOAEL: No observed adverse effect level

NOAEC: No observed adverse effect concentration

NLP: No-Longer Polymers

N/A: not applicable

OECD: Organisation for Economic Co-operation and Development

PNEC: predicted no effect concentration

PBT: Persistent bioaccumulative toxic

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

REACH: Registration, Evaluation, Authorisation of Chemicals

SVHC: substance of very high concern

TRGS: Technische Regeln für Gefahrstoffe

UN: United Nations

VOC: Volatile Organic Compounds

WGK: Water Hazard Class (Germany)

Flam. Liq: Flammable liquid

Acute Tox: Acute toxicity

Asp. Tox: Aspiration hazard

Skin Irrit: Skin irritation

Eye Dam: Eye damage

Eye Irrit: Eye irritation

Skin Sens: Skin sensitisation

Repr: Reproductive toxicity

STOT SE: Specific target organ toxicity - single exposure

STOT RE: Specific target organ toxicity - repeated exposure

Aquatic Acute: Acute aquatic hazard

Aquatic Chronic: Chronic aquatic hazard

QUICK FINISH

Revision date: 17.01.2024

Page 15 of 15

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Skin Irrit. 2; H315	Calculation method
Eye Irrit. 2; H319	Calculation method
Skin Sens. 1; H317	Calculation method
Aquatic Chronic 2; H411	Calculation method

Relevant H and EUH statements (number and full text)

- H225 Highly flammable liquid and vapour.
H301 Toxic if swallowed.
H302 Harmful if swallowed.
H304 May be fatal if swallowed and enters airways.
H311 Toxic in contact with skin.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H336 May cause drowsiness or dizziness.
H361d Suspected of damaging the unborn child.
H373 May cause damage to organs through prolonged or repeated exposure.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.
H411 Toxic to aquatic life with long lasting effects.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)